

Chapter 3: Media and Supplies Guide

- ◆ **Ordering Thermal Paper**

 - Thermal Paper Specifications

 - Manufacturers

 - How to Order

- ◆ **Ordering Miscellaneous Supplies**

 - Ordering Cash Drawers

 - Ordering Power Supply and Power Cord

 - Ordering Communication Cables

 - Wall-Mount Kit

Ordering Thermal Paper

Thermal Paper Specifications

The printer requires qualified thermal paper with the following dimensions:

Width	Diameter	Length
80 mm \pm .2 mm (3.15 in. \pm .02 in.)	90 mm max. (3.27 in.)	322 ft. nominal.
82.5 mm \pm .2 mm (3.25 in. \pm .02 in.)	90 mm max. (3.27 in.)	322 ft. nominal.

The paper must not be attached at the core. Use paper with a colored stripe at the end to indicate that the paper is running low.

Manufacturers

Axiohm recommends the following paper grades produced by their respective manufacturers. There are a number of paper converters qualified to provide this paper, provided the POS rolls are from these recommended grades.

Manufacturers	Phone	Paper Grade (Density)
Kanzaki Specialty Papers (USA)	Voice: 888-526-9254	P-310 (Standard)
	Fax: 413-731-8864	P-300 (Light)
		P-350 (Light)
Appleton Papers, Inc. (USA)	Voice: 800-922-1729	Optima T1012A (Standard)
	Fax: 800-922-1712	Optima POS and T1030 (Light)
Arjo-Wiggins Thermal Papers, Ltd. (UK)	Voice: 44 1222-422-422	Sensa 522/60 (Standard)
	Fax: 44 1222-422-402	Sensa 662/60 (Light)
Kanzan Spezialpapiere GMBH (Germany)	Voice: 49 2421 5924 0	KF60 (Standard)
	Fax: 49 2421 5924 29	KF50 (Light)
Nippon Paper Co., Ltd., Business Communications Paper Div. (Japan)	Voice: 81-3-3218-8000	TP50 KS (Standard)
Oji Paper Co., Ltd. (Japan)	Voice: 81-3-5467-1086	KF60 (Standard)
	Fax: 81-3-5467-6678	KF50 (Light)

Additional grades are qualified and available for special media requirements

How to Order

To order paper rolls, contact your converter of choice. Axiohm can provide the following paper in small lots to facilitate product evaluation and testing. To order directly from Axiohm, use the following part numbers:

◆ Standard Density	50 Rolls	Axiohm #A152-002
◆ Light Density	50 Rolls	Axiohm #A152-003

Ordering Miscellaneous Supplies

Ordering Cash Drawers

Order cash drawers from the following suppliers:

Cash Drawers	Number
NCR	7052-K657
M-S Cash Drawer Corp.	EP-125 K series, EP-127, EP-102
APG Cash Drawer	Model 322
Indiana Cash Drawer	Model SLD

Ordering Power Supply and Power Cord

Contact your sales representative to order the power supply and power cords listed in the table. The numbers are for reference only. Suppliers may use other numbers.

Item	Type	Number
Power supply with attached cable to printer and U.S. power supply cord		A794-K330
Power supply, attached cable		A794-K301
Power supply cord (to outlet)	United States	A794-K320
	International (no plug)	A794-K321
	United Kingdom	A794-K322
	S.E.V.	A794-K323
	Australia	A794-K324
	International (with plug)	A794-K326

Ordering Communication Cables

Contact your sales representative to order the communication cables listed in the table. The numbers are for reference only. Suppliers may use other numbers.

Communication Cables	Length	Order Number
RS-232C 25-pin (host) to 9-pin	(3 meters—9.8 ft.)	A141-0008
RS-232C 9-pin to 9-pin	(3 meters—9.8 ft.)	A141-0007
Parallel 25-pin to 25-pin	(3 meters—9.8 ft.)	A141-0009

Wall-Mount Kit

Contact your sales representative to order the wall-mount kit.

Printer wall-mount kit: A794-K260